

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/785,559	02/16/2001	Karl-Heinz Boven	WITTE-011XX	3534	
207	7590 08/03/2004		EXAMINER		
WEINGARTEN, SCHURGIN, GAGNEBIN & LEBOVICI LLP TEN POST OFFICE SQUARE			BEISNER, W	BEISNER, WILLIAM H	
BOSTON, N			ART UNIT	PAPER NUMBER	
			1744		

DATE MAILED: 08/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental

Application No.	Applicant(s)	_
09/785,559	BOVEN ET AL.	
Examiner	Art Unit	
William H. Beisner	1744	

Al-4'- CAU L'''	09/785,559	BOVEN ET AL.	
Notice of Allowability	Examiner	Art Unit	
	William H. Beisner	1744	
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this a) or other appropriate communication IGHTS. This application is subject	ipplication. If not include an will be mailed in due	ded e course THIS
1. This communication is responsive to 10 June 2004 and 14	1 June 2004.		
2. The allowed claim(s) is/are 1,2,4-15,17-20,22-26,30-58,60	<u>) and 61</u> .		
3. \square The drawings filed on <u>14 June 2004</u> are accepted by the E	xaminer.		
 4. ☐ Acknowledgment is made of a claim for foreign priority units. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 	e been received. e been received in Application No.		
3. Copies of the certified copies of the priority do	cuments have been received in this	s national stage applic	ation from the
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a repl IENT of this application.	y complying with the re	equirements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINEI es reason(s) why the oath or declar	R'S AMENDMENT or I	NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		0-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1 121	ings in the front (not th	e back) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL	must be submitted	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. Notice of Informal I 6. Interview Summary Paper No./Mail Da	y (PTO-413),	O-152)
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 6/10/04 	8), 7. 🛛 Examiner's Amend	men t/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statem	ent of Reasons for Allo	owance
of Biological Material	9. Other		
		William H. Beisner Primary Examiner Art Unit: 1744	

EXAMINER'S COMMENTS

Information Disclosure Statement

1. The information disclosure statement filed 10 June 2004 has been considered and made of record. Note documents US 6,048,722 and US 4,128,456 have been lined through because these documents have already been made of record (See PTO-892s attached to the office actions dated 19 Dec. 2002 and 30 July 2003).

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

With respect to the references of Olesen et al.(US 6,063,260); JP 11 083 785 and Costa et al, none of these references teach or fairly suggest the electrode(s) and perfusion inlet and/or outlet integrated and/or molded with respect to a common support.

With respect to the references of Albery et al. (US 5,462,645) and GB 2 297 383, while these references disclose a plurality of electrodes and perfusion inlet and outlet on a common support, the electrodes are not capable of impaling a cell because they are enclosed within a sealed housing and elimination of the disclosed housing would render the prior art device unsatisfactory for its intended purpose.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Conclusion

Any inquiry concerning this communication or earlier communications from the 3. examiner should be directed to William H. Beisner whose telephone number is 571-272-1269. The examiner can normally be reached on Tues. to Fri. and alt. Mon. from 6:15am to 3:45pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert J. Warden can be reached on 571-272-1281. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

Art Unit 1744

WHB